Period: \_\_\_\_\_

Name: \_\_\_\_\_

## <u>Chapter 7 Assignment – Trigonometry</u>

## /30

## Show all of your work.

1) Sketch and solve the following <u>right</u> triangle to the nearest tenth (3 marks):

 $< C = 90^{\circ}, a = 5 cm, c = 6 cm$ 

ANSWERS:
<a =<="" td=""></a>
< <i>B</i> =
side <i>b</i> =

2) Draw each angle in standard position (1 mark each), identify the quadrant in which it lies (0.5 each), and state the reference angle (1 mark each):



3) Suppose you have a standard angle of  $60^{\circ}$  and the length on the initial arm is 4.25cm. What is the length of the terminal arm to the nearest hundredth? (2 marks).



ANSWER:

4) The point P(-2, -3) lies on the terminal arm of an angle  $\theta$ , in standard position. Sketch and determine the exact trigonometric ratios for  $\sin \theta$ ,  $\cos \theta$ , &  $\tan \theta$  (2 marks).



- 5) Determine the exact value (2 marks each).
- a)  $\cos 210^{\circ}$

b) sin 135°



6) Solve for  $\theta$  (2 marks each).



ANSWER(S):	ANSWER(S):

7) Determine the measure(s) of  $\theta$  to the nearest degree (2 marks).

 $\tan\theta=0.7265$  ,  $0^\circ\leq\theta<360^\circ$ 



ANSWER(S):

8) In an oblique triangle,  $< P = 75^{\circ}$ , side p = 12.1 cm, & side r = 9.8 cm. What is < R to the nearest tenth (2 marks)?

ANSWER:

9) A hot air balloon is travelling over a Roman aqueduct. The angle (at the balloon) between the line of sight to one end of the aqueduct and the line of sight to the other end of the aqueduct is 65°. The length along the line of sight to one end is 275m, and the length along the line of sight to the other end is 268m. How long is the aqueduct to the nearest tenth (3 marks)?

SENTENCE ANSWER:

10) Solve the following triangle to the nearest tenth (3 marks):

x = 6 m, y = 7m, z = 5m

ANSWERS:
< <i>X</i> =
<y =<="" td=""></y>
<z=< td=""></z=<>